




| | | | | |
|--|--------|--|--------|--------|
| | 277Vac | | 480Vac | |
| | 249Vac | | 528Vac | |
| | 47Hz | | 63Hz | |
| | | | 1.2A | 277Vac |






| |
|--|
| |
| |
| |
| |


| |
|--|
| |
| |
| |





| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |






SHE


9 5809 50

Vs. /AOC



----- Dimming Window ————— AOC Window


Vs. (Vin=277Vac)



----- Io=6700mA ————— Io=5220mA - · - · Io=4300mA




Vs. (Vin=347Vac)



----- Io=6700mA ——— Io=5220mA - - - Io=4300mA


Vs. (Vin=480Vac)



----- Io=6700mA ——— Io=5220mA - - - Io=4300mA




Vs.



----- Vin= 277Vac ——— Vin= 347Vac - - - Vin= 480Vac

Vs.



----- Vin= 277Vac ——— Vin= 347Vac - - - Vin= 480Vac





Vs.



SS-240SA

LED



V00

2019/08/20

| | | | |
|-----|--|------------|--|
| V00 | | 2019/08/20 | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

86 -- L 4 0 0 10

86-755-29358800