


> B D D D > B C G >

: SS-120NM-A260*

: 120WLED

: V04

: 2023-09-11





	12	
	10 ± % %a	
		120Vac,
(120Vac)		冷机启动
(220Vac)		
(347Vac)		
		220Vac/50Hz (BH)
		220Vac/50Hz
		120-347Vac 60-100%
		277Vac
		120-347Vac 60-100%

	180V		260V	180-200V
	200V		260V	Po=Vo*Io=120W
	0.46A		0.6A	0.6A 200V, 0.46A 260V
AOC	0.4A		0.6A	
			/	
@ 120Vac	89.0%	91.0%		260V/0.46A
@ 220Vac	91.0%	93.0%		260V/0.46A
@ 347Vac	92.0%	94.0%		260V/0.46A
	-5%		+5%	
PK-AV		5%	10%	
			10%	
			0.75S	120Vac
			0.5S	220Vac
	-5%		+5%	
	-5%		+5%	
	-0.06% /		+0.06% /	0 90
	90	95	100	>Tc Typ. <Tc Min.



SS-120NM-A LED



		10.8V	12V	13.2V	BH
				200mA	
1-10V		0V		12V	DIM+ 100uA
		10% Iomax		100% Ioset	DIM+/DIM-
		0V		10V	
PWM	PWM	9.8V		10.2V	DIM+ 100uA
	PWM	0V		0.3V	DIM+/DIM-
	PWM	1KHz		2KHz	
	PWM	0%		100%	
		0Kohm		100Kohm	DIM+ 100uA
		10% Iomax		100% Ioset	
		0.7V	0.8V	0.95V	B
		0.95V	1.1V	1.2V	BH
	85	50,000 hours			
	MTBF	200,150 hours			220Vac, 25 (MIL-HDBK-217F)
		90			
		5			85
	(B)	485g			
	(BH)	535g			
	(B)	185mm * 52.5mm * 34mm			x x
	(BH)	192mm * 52.5mm * 34mm			x x


25 LED








Vs. (/AOC)



----- Dimming Window ————— AOC Window


Vs. (Vin=120Vac)



----- Io=600mA ————— Io=460mA



Vs. (Vin=220Vac)



02

Vs. (Vin=347Vac)



rpVV3


e

e


~

f

Vs.



Vs.



Vs.

Vs.



(B)

		mm(In.)
	L3	167(6.57)
	W2	52.5(2.07)
	H	34(1.34)
	L1	185(7.28)
	L2	175.5(6.91)
	W1	32(1.26)
Tc	X	32(1.26)
Tc	Y	24(0.94)

1 LED
 2 AC DC DIM / / ;
 10± 2mm;



(BH)

		mm(In.)
	L3	174(6.85)
	W2	52.5(2.07)
	H	34(1.34)
	L1	192(7.56)
	L2	182.5(7.19)
	W1	32(1.26)
		32(1.26)
		24(0.94)





1				704	
2					
3	"	"	"	50 "	380cm ²
	115cm ³ ;		LED		
4、			5mm		
5、	LED+	LED-	1.8mm		
6、					
7	LED				
8	LED				
9		LED			
10					

-		mm	×	×	=495× 385× 162;
-		16			
- B	0.485kg			9.79kg	
- BH	0.535kg ;	整箱毛重 : 10.1kg ;			
-					

--	--	--	--	--	--

	GB 3873	83			
	1				

RoHS

	RoHS	(2011/65/EU)		2015/863/EU	
--	------	--------------	--	-------------	--





V00		2023/02/01	
V01		2023/04/25	
V02	SPD	2023/05/06	
V03		2023/05/24	
V04		2023/09/11	

